

ARCHITECTURAL SERVICES WANTED

Applications for ARCHITECTURAL Services for the following projects will be accepted until **2:00 p.m., Tuesday, July 01, 2025.**

(Your attention is called to the 2:00 p.m. deadline -- exceptions **WILL NOT** be made). Applications shall be submitted on the standard LSB - 1 (September 2019 edition) only, with no additional pages attached. Please be sure to use an up-to-date copy of the form. These forms are available at the Office of Facility Planning and Control and on the Selection Board page of the Facility Planning & Control website at <https://www.doa.la.gov/doa/fpc/selection-boards/>. Do not attach any additional pages to this application. **Applications with attachments in addition to the pre-numbered sheets or otherwise not following this format will be discarded.** One fully completed signed copy of each application shall be submitted. The copy may be printed and mailed or printed and delivered or scanned in PDF format and e-mailed. Printed submittals shall not be bound or stapled. E-mailed PDF copies, as well as printed copies, shall be received by Facility Planning & Control within the deadline stated above. The date and time the e-mail is received in the Microsoft Outlook Inbox at Facility Planning & Control shall govern compliance with the deadline for e-mailed applications. Timely delivery by whatever means is strictly the responsibility of the applicant. By e-mailing an application the applicant assumes full responsibility for timely electronic delivery. **DO NOT** submit both printed and e-mail copies. Any application submitted by both means will be discarded.

1. Harvey and May Peltier Center (Welcome Center-Alumni House), Nicholls State University, Thibodaux, Louisiana, Project No. 19-621-23-03, F.19002497.

This project consists of the construction of the new Harvey and May Peltier Center (Welcome Center-Alumni House) on the campus of Nicholls State University in Thibodaux. Site development will be a part of the project, including site preparation, service access, parking, site accessories, site lighting, landscaping and security systems. The scope includes an 8,000 s.f. facility which will serve as a welcome center to house the Alumni Affairs Department. The building program includes, but is not limited to, a reception area, conference rooms, office spaces, multi-purpose space, storage, restrooms and a kitchen area with related furnishings and appurtenances. All design, including building structure, envelope, including new windows and doors, roof, all associated exterior and interior finishes, interior and exterior signage, mechanical, electrical power and lighting, plumbing, with sprinkler, fire alarm, building controls management, security cameras, access control, food service and the infrastructure necessary for the installation and construction of these elements are to be included in the project. Furniture, fixtures, equipment and data/telephone will be provided under separate contracts, although coordination of these items and systems with the work will be necessary on the part of the Designer. The design shall comply with the current FEMA BFE/local flood plain ordinances. The Percent for Universal Design program shall apply to this project. Designer shall identify and develop features that utilize universal design principles and incorporate them into the project. The cost of these features shall be at least 2% of the estimated construction cost. Percent for Art program will also apply to this project. The Designer shall cooperate with the artist to incorporate the artwork into the design of the building. Design services shall be limited to the Program Completion through the Construction Documents Approval phases (60% of basic services). The fee and design time have been adjusted to account for this. At the owner's option, the design contract may be amended to include the additional phases of basic design services with the corresponding fee and design time adjustment. The Designer shall prepare and submit all required drawings to Facility Planning & Control in AutoCAD and hard copy. Drawings shall follow the format specified in the "Instructions to Designers for AutoCAD Drawings Submittal". The available funds for construction (AFC) are approximately **\$3,625,000.00** with a fee of approximately **\$159,020.00**. Contract design time is **365** consecutive calendar days; including **122** days review time. Thereafter, liquidated damages in the amount of **\$200.00** per day will be assessed. Further information is available from **Nathan Montgomery, Facility Planning & Control,**

nathan.montgomery@la.gov, (504) 568-2414.

2. Hurricane Laura Building and Site Repairs Area A, Allen Correctional Center, Department of Public Safety and Corrections, Kinder, Louisiana, Project No. 01-107-05B-13, F.01004701.

This project consists of removal and replacement of the roofs on Dormitory #1 (Earth)(S01286), Dormitory (Jupiter)(S09885) and Hobby Craft Building #1 (S01284) approximately 75,189 s.f. along with roof repairs of roofs on Hobby Craft Building #2 (S01285) and Hobby Craft #3 (Jupiter)(S09886) approximately 3,038 s.f. located at Allen Correctional Center in Kinder. The scope consists of the removal of existing SBS Modified Bitumen Roofing System down to the existing roof deck; then installation of un-tapered and tapered polyisocyanurate insulation and cover board as required to comply with energy codes R-Value and to achieve positive drainage. The Designer shall be responsible for evaluating and confirming the existing roof deck condition, its suitability to accept the desired new code compliant roofing systems and to verify that no water is migrating to the interior of the building. The work shall include, but is not limited to, necessary repairs to/reinforcing of structural systems as required, new insulation, necessary flashing, gutters and trim pieces, along with replacements and/or adjustments as required of rooftop equipment curbs, and supports for rooftop mounted items (pipe, conduit, HVAC lines, lightning protection, etc.). Roofing shall meet FPC standard guidelines and carry a 20 year NDL warranty. Design will include replacements and/or adjustments as required to rooftop equipment curbs, and supports for rooftop mounted items (pipe, conduit, HVAC lines, lightning protection, etc.). Access is highly controlled at the facility and limited to designated staff and faculty. The facility will remain occupied during the design and construction of this project, with construction and staging coordinated with the user and scheduled for minimal impact to the occupants and the operation of the facility. The Designer should consider the protection of the occupants during construction to be of the utmost importance. The Designer shall retain an accredited LDEQ Asbestos Inspector to complete an inspection of all suspect building materials that will be removed/impacted by this project as a reimbursable expense. If any materials are found to contain asbestos, the Designer shall provide, as part of their basic services, an accredited LDEQ Asbestos Designer to design the asbestos abatement specifications. If asbestos air monitoring will be required during abatement activities, the Designer will obtain an air-monitoring firm as a reimbursable expense. The Designer will survey the site for other hazardous materials and include in the specifications. If lead-based paint or mold inspections are required these will be provided as a reimbursable expense. Funding for this project is provided, in part, by the Federal Emergency Management Agency and their participation and oversight may be expected in all phases of the project. Design services shall be limited to the Program Completion through Construction Documents Approval phases (60%). The fee and design time have been adjusted to account for this. At the owner's option, the design contract may be amended to include the additional phases of basic design services with the corresponding fee and design time adjustment. The Designer shall prepare and submit all required drawings to Facility Planning & Control in AutoCAD and hard copy. Drawings shall follow the format specified in the "Instructions to Designers for AutoCAD Drawings Submittal". The available funds for construction (AFC) are approximately **\$2,846,895.00** with a fee of approximately **\$127,207.00**. Contract design time is **150** consecutive calendar days; including **50** days review time. Thereafter, liquidated damages in the amount of **\$200.00** per day will be assessed. Further information is available from **Tad Sebastian, Facility Planning & Control, tad.sebastian@la.gov, (337) 262-5825.**

3. Hurricane Laura Building and Site Repairs Area B, Allen Correctional Center, Department of Public Safety and Corrections, Kinder, Louisiana, Project No. 01-107-05B-13, F.01004599.

This project consists of removal and replacement of the roofs on Dormitory Saturn (S09883) and Cellblock - Mars (S01288) approximately 73,670 s.f. located at Allen Correctional Center in Kinder. The scope consists of the removal of existing SBS Modified Bitumen Roofing System down to the existing roof deck; then installation of un-tapered and tapered polyisocyanurate insulation and cover board as required to comply with energy codes (R-Value) and to achieve positive drainage. The Designer shall be responsible for evaluating and confirming the existing roof deck condition, its suitability to accept the desired new code compliant roofing systems and to verify that no water is migrating to the interior of the building. The work shall include, but is not limited to, necessary repairs to/reinforcing of structural systems as required, new insulation, necessary flashing, gutters and trim pieces, along with replacements and/or adjustments as required of rooftop equipment

curbs and supports for rooftop mounted items (pipe, conduit, HVAC lines, lightning protection, etc.). Roofing shall meet FPC standard guidelines and carry a 20-year NDL warranty. Design will include replacements and/or adjustments as required to rooftop equipment curbs, and supports for rooftop mounted items (pipe, conduit, HVAC lines, lightning protection, etc.). Access is highly controlled at the facility and limited to designated staff and faculty. The facility will remain occupied during the design and construction of this project, with construction and staging coordinated with the user and scheduled for minimal impact to the occupants and the operation of the facility. The Designer should consider the protection of the occupants during construction to be of the utmost importance. The Designer shall retain an accredited LDEQ Asbestos Inspector to complete an inspection of all suspect building materials that will be removed/impacted by this project as a reimbursable expense. If any materials are found to contain asbestos, the Designer shall provide, as part of their basic services, an accredited LDEQ Asbestos Designer to design the asbestos abatement specifications. If asbestos air monitoring will be required during abatement activities, the Designer will obtain an air-monitoring firm as a reimbursable expense. The Designer will survey the site for other hazardous materials and include in the specifications. If lead-based paint or mold inspections are required these will be provided as a reimbursable expense. Funding for this project is provided, in part, by the Federal Emergency Management Agency and their participation and oversight may be expected in all phases of the project. This project was completed through the Construction Documents phase via a previous design contract. The previous construction document submittal drawings and CAD files will be provided to the Designer who is awarded this contract for their evaluation and use in repackaging documents for the purposes of bidding. The Designer selected for this contract shall be responsible for the Design Development through Two Year Warranty inspections (85%). The Designer shall prepare and submit all required drawings to Facility Planning & Control in AutoCAD and hard copy. Drawings shall follow the format specified in the "Instructions to Designers for AutoCAD Drawings Submittal". The available funds for construction (AFC) are approximately **\$2,785,462.00** with a fee of approximately **\$176,617.00**. Contract design time is **90** consecutive calendar days; including **30** days review time. Thereafter, liquidated damages in the amount of **\$200.00** per day will be assessed. Further information is available from **Tad Sebastian, Facility Planning & Control, tad.sebastian@la.gov, (337) 262-5825**.

4. Hurricane Laura Building and Site Repairs Area E, Allen Correctional Center, Department of Public Safety and Corrections, Kinder, Louisiana, Project No. 01-107-05B-13, F.01004700.

This project consists of removal and replacement of the roofs on Canteen (S01272), Central Warehouse (S01281), Gymnasium (S01280) and Laundry (S01273) Buildings approximately 39,970 s.f. located at Allen Correctional Center in Kinder. The scope consists of the removal of existing SBS Modified Bitumen Roofing System down to the existing roof deck; then installation of un-tapered and tapered polyisocyanurate insulation and cover board as required to comply with energy codes (R-Value) and to achieve positive drainage. The Designer shall be responsible for evaluating and confirming the existing roof deck condition, its suitability to accept the desired new code compliant roofing systems and to verify that no water is migrating to the interior of the building. The work shall include, but is not limited to, necessary repairs to/reinforcing of structural systems as required, new insulation, necessary flashing, gutters and trim pieces, along with replacements and/or adjustments as required of rooftop equipment curbs, and supports for rooftop mounted items (pipe, conduit, HVAC lines, lightning protection, etc.). Roofing shall meet FPC standard guidelines and carry a 20-year NDL warranty. Design will include replacements and/or adjustments as required to rooftop equipment curbs, and supports for rooftop mounted items (pipe, conduit, HVAC lines, lightning protection, etc.). Access is highly controlled at the facility and limited to designated staff and faculty. The facility will remain occupied during the design and construction of this project, with construction and staging coordinated with the user and scheduled for minimal impact to the occupants and the operation of the facility. The Designer should consider the protection of the occupants during construction to be of the utmost importance. The Designer shall retain an accredited LDEQ Asbestos Inspector to complete an inspection of all suspect building materials that will be removed/impacted by this project as a reimbursable expense. If any materials are found to contain asbestos, the Designer shall provide, as part of their basic services, an accredited LDEQ Asbestos Designer to design the asbestos abatement specifications. If asbestos air monitoring will be required during abatement activities, the Designer will obtain an air-monitoring firm as a reimbursable expense. The Designer will survey the site for other hazardous materials and include in the specifications. If lead-based paint or mold inspections are required

these will be provided as a reimbursable expense. Funding for this project is provided, in part, by the Federal Emergency Management Agency, and their participation and oversight may be expected in all phases of the project. Design services shall be limited to the Program Completion through Construction Documents Approval phases (60%). The fee and design time have been adjusted to account for this. At the owner's option, the design contract may be amended to include the additional phases of basic design services with the corresponding fee and design time adjustment. The Designer shall prepare and submit all required drawings to Facility Planning & Control in AutoCAD and hard copy. Drawings shall follow the format specified in the "Instructions to Designers for AutoCAD Drawings Submittal". The available funds for construction (AFC) are approximately **\$1,686,266.00** with a fee of approximately **\$78,508.00**. Contract design time is **150** consecutive calendar days; including **50** days review time. Thereafter, liquidated damages in the amount of **\$150.00** per day will be assessed. Further information is available from **Tad Sebastian, Facility Planning & Control, tad.sebastian@la.gov, (337) 262-5825**.

5. Hurricane Laura Building and Site Repairs Area F, Allen Correctional Center, Department of Public Safety and Corrections, Kinder, Louisiana, Project No. 01-107-05B-13, F.01004521.

This project consists of removal and replacement of the roofs on Administration/Security Building (S01266), Visitors Reception/Roll Call (S01265), Infirmary (S01268), Multipurpose/Classification/Ed (S01269), Control Station (S01271) approximately 56,748 s.f. located at Allen Correctional Center in Kinder. The scope consists of the removal of existing SBS Modified Bitumen Roofing System down to the existing roof deck; then installation of un-tapered and tapered polyisocyanurate insulation and cover board as required to comply with energy codes (R-Value) and to achieve positive drainage. The Designer shall be responsible for evaluating and confirming the existing roof deck condition, its suitability to accept the desired new code compliant roofing systems, and to verify that no water is migrating to the interior of the building. The work shall include, but is not limited to, necessary repairs to/reinforcing of structural systems as required, new insulation, necessary flashing, gutters and trim pieces, along with replacements and/or adjustments as required of rooftop equipment curbs, and supports for rooftop mounted items (pipe, conduit, HVAC lines, lightning protection, etc.). Roofing shall meet FPC standard guidelines and carry a 20-year NDL warranty. Design will include replacements and/or adjustments as required to rooftop equipment curbs, and supports for rooftop mounted items (pipe, conduit, HVAC lines, lightning protection, etc.). Access is highly controlled at the facility and limited to designated staff and faculty. The facility will remain occupied during the design and construction of this project, with construction and staging coordinated with the user and scheduled for minimal impact to the occupants and the operation of the facility. The Designer should consider the protection of the occupants during construction to be of the utmost importance. The Designer shall retain an accredited LDEQ Asbestos Inspector to complete an inspection of all suspect building materials that will be removed/impacted by this project as a reimbursable expense. If any materials are found to contain asbestos, the Designer shall provide, as part of their basic services, an accredited LDEQ Asbestos Designer to design the asbestos abatement specifications. If asbestos air monitoring will be required during abatement activities, the Designer will obtain an air-monitoring firm as a reimbursable expense. The Designer will survey the site for other hazardous materials and include in the specifications. If lead-based paint or mold inspections are required these will be provided as a reimbursable expense. Funding for this project is provided, in part, by the Federal Emergency Management Agency, and their participation and oversight may be expected in all phases of the project. This project was completed through the Construction Documents Phase via a previous design contract. The previous construction document submittal drawings and CAD files will be provided to the Designer who is awarded this contract for their evaluation and use in repackaging documents for the purposes of bidding. The Designer selected for this contract shall be responsible for the Design Development through Two-Year Warranty inspections (85%). The Designer shall prepare and submit all required drawings to Facility Planning & Control in AutoCAD and hard copy. Drawings shall follow the format specified in the "Instructions to Designers for AutoCAD Drawings Submittal". The available funds for construction (AFC) are approximately **\$1,648,554.00** with a fee of approximately **\$108,929.00**. Contract design time is **90** consecutive calendar days; including **30** days review time. Thereafter, liquidated damages in the amount of **\$125.00** per day will be assessed. Further information is available from **Tad Sebastian, Facility Planning & Control, tad.sebastian@la.gov, (337) 262-5825**.

6. Roof and Opening Replacements, Automotive Technology Lab A (Building 10), Delgado Community College, City Park Campus, New Orleans, Louisiana, Project No. N/A - Delegated, N/A - Delegated.

The project consists of two project components that will remove and replace the roofs and openings at Building 10 (S00331) on the Delgado Community College City Park Campus in New Orleans. Building 10 is a two-story building of non-combustible masonry construction and is approximately 19,430 s.f. Project component 1 is the removal/replacement of the existing roofing system at Building 10. The existing roof of Building 10 is comprised of a stone ballasted 2-ply modified bitumen system with cementitious cover board and tapered insulation. The Designer shall be responsible for evaluating and confirming the existing roof deck condition, its suitability to accept the desired new code compliant roofing systems and to verify that no water is migrating to the interior of the building. The work shall include, but is not limited to, necessary repairs to/reinforcing of structural systems as required, new insulation, necessary flashing, gutters and trim pieces, along with replacements and/or adjustments as required of rooftop equipment curbs and supports for rooftop mounted items (pipe, conduit, HVAC lines, lightning protection, etc.). Roofing shall meet FPC standard guidelines and carry a 20-year NDL warranty. Project component 2 is the removal and replacement of openings (window and door systems) at Building 10. The existing openings of Building 10 are comprised of non-insulated, single glazed aluminum window systems. At each of the buildings, the Designer shall be responsible for evaluating all existing openings, and specifying the appropriate code compliant replacement systems. Miscellaneous repairs and reconfiguration of materials/structure at openings are also required as needed to achieve a clean installation. The building will remain occupied during the design and construction of this project, with construction coordinated with the user and scheduled for minimal impact to the occupants and the operation of the facility. The Designer should consider the protection of the occupants during construction to be of the utmost importance. The Designer shall retain an accredited LDEQ Asbestos Inspector to complete an inspection of all suspect building materials that will be removed/impacted by this project as a reimbursable expense. If any materials are found to contain asbestos, the Designer shall provide, as part of their basic services, an accredited LDEQ Asbestos Designer to design the asbestos abatement specifications. If asbestos air monitoring will be required during abatement activities, the Designer will obtain an air-monitoring firm as a reimbursable expense. The Designer will survey the site for other hazardous materials and include in the specifications. If lead-based paint or mold inspections are required these will be provided as a reimbursable expense. Design services shall be limited to the Program Completion through Construction Documents Approval phases (60%). The fee and design time have been adjusted to account for this. At the owner's option, the design contract may be amended to include the additional phases of basic design services with the corresponding fee and design time adjustment. The Designer shall prepare and submit all required drawings to Facility Planning & Control in AutoCAD and hard copy. Drawings shall follow the format specified in the "Instructions to Designers for AutoCAD Drawings Submittal". The available funds for construction (AFC) are approximately **\$1,388,500.00** with a fee of approximately **\$65,667.00**. Contract design time is **240** consecutive calendar days; including **80** days review time. Thereafter, liquidated damages in the amount of **\$100.00** per day will be assessed. Further information is available from **Nathan Montgomery, Facility Planning & Control, nathan.montgomery@la.gov, (504) 568-2414**.

7. Hurricane Laura Building and Site Repairs Area H, Allen Correctional Center, Department of Public Safety and Corrections, Kinder, Louisiana, Project No. 01-107-05B-13, F.01004703.

This project consists of removal and replacement of the roofs on Electrical Equipment Building (S01295), Emergency Vehicle Building (S01264), Generator Building(S01291), Maintenance Building (S01289), Sewer Treatment Building (S01296), Vehicle Storage/Service Station (S01290) and Vo-Tech/Culinary Arts Building (S01292) approximately 28,436 s.f. located at Allen Correctional Center in Kinder. The scope consists of the removal of existing SBS Modified Bitumen Roofing System down to the existing roof deck; then installation of un-tapered and tapered polyisocyanurate insulation and cover board as required to comply with energy codes (R-Value) and to achieve positive drainage. The Designer shall be responsible for evaluating and confirming the existing roof deck condition, its suitability to accept the desired new code compliant roofing systems and to verify that no water is migrating to the interior of the building. The work shall include, but is not limited to, necessary repairs to/reinforcing of structural systems as required, new insulation, necessary flashing, gutters and trim pieces, along with replacements and/or adjustments as required of rooftop equipment curbs, and supports

for rooftop mounted items (pipe, conduit, HVAC lines, lightning protection, etc.). Roofing shall meet FPC standard guidelines and carry a 20-year NDL warranty. Design will include replacements and/or adjustments as required to rooftop equipment curbs, and supports for rooftop mounted items (pipe, conduit, HVAC lines, lightning protection, etc.). Access is highly controlled at the facility and limited to designated staff and faculty. The facility will remain occupied during the design and construction of this project, with construction and staging coordinated with the user and scheduled for minimal impact to the occupants and the operation of the facility. The Designer should consider the protection of the occupants during construction to be of the utmost importance. The Designer shall retain an accredited LDEQ Asbestos Inspector to complete an inspection of all suspect building materials that will be removed/impacted by this project as a reimbursable expense. If any materials are found to contain asbestos, the Designer shall provide, as part of their basic services, an accredited LDEQ Asbestos Designer to design the asbestos abatement specifications. If asbestos air monitoring will be required during abatement activities, the Designer will obtain an air-monitoring firm as a reimbursable expense. The Designer will survey the site for other hazardous materials and include in the specifications. If lead-based paint or mold inspections are required these will be provided as a reimbursable expense. Funding for this project is provided, in part, by the Federal Emergency Management Agency and their participation and oversight may be expected in all phases of the project. Design services shall be limited to the Program Completion through Construction Documents Approval phases (60%). The fee and design time have been adjusted to account for this. At the owner's option, the design contract may be amended to include the additional phases of basic design services with the corresponding fee and design time adjustment. The Designer shall prepare and submit all required drawings to Facility Planning & Control in AutoCAD and hard copy. Drawings shall follow the format specified in the "Instructions to Designers for AutoCAD Drawings Submittal". The available funds for construction (AFC) are approximately **\$1,075,263.00** with a fee of approximately **\$51,933.00**. Contract design time is **150** consecutive calendar days; including **50** days review time. Thereafter, liquidated damages in the amount of **\$125.00** per day will be assessed. Further information is available from **Tad Sebastian, Facility Planning & Control, tad.sebastian@la.gov, (337) 262-5825**.

GENERAL REQUIREMENTS APPLICABLE TO ALL PROJECTS:

Applicants are advised that design time ends when the Documents are "complete, coordinated and **ready for bid**" as stated in to Article 3.3.1 (4) of the Capital Improvements Projects Procedure Manual for Design and Construction. Documents will be considered to be "complete, coordinated and ready for bid" only if the advertisement for bid can be issued with no further corrections to the Documents. Design time will not necessarily end at the receipt of the initial Construction Documents Phase submittal by Facility Planning and Control. Any re-submittals required to complete the documents will be included in the design time.

In addition to the statutory requirements, professional liability insurance covering the work involved will be required in an amount specified in the following schedule. This will be required at the time the Designer's contract is signed. Proof of coverage will be required at that time.

SCHEDULE

LIMITS OF PROFESSIONAL LIABILITY

<u>Construction Cost</u>	<u>Limit of Liability</u>
\$0 to \$10,000,000	\$1,000,000
\$10,000,001 to \$20,000,000	\$1,500,000
\$20,000,001 to \$50,000,000	\$3,000,000
Over \$50,000,000	To be determined by Owner

Applicant firms should be familiar with the above stated requirements prior to application. The firm(s) selected for the project(s) will be required to sign the State's standard Contract Between Owner and Designer. When these projects are financed either partially or entirely with Bonds, the award of the contract is contingent upon the sale of bonds or the issuance of a line of credit by the State Bond Commission. The State shall incur no obligation to the Designer until the Contract Between Owner and Designer is fully executed.

Firms will be expected to have all the expertise necessary to provide all architectural services required by the Louisiana Capital Improvement Projects Procedure Manual for Design and Construction for the projects for which they are applying. Unless indicated otherwise in the project description, there will be no additional fee for consultants.

Facility Planning and Control is a participant in the Small Entrepreneurship Program (the Hudson Initiative) and applicants are encouraged to consider participation. Information is available from the Office of Facility Planning and Control or on its website at <https://www.doa.la.gov/doa/fpc/>.

Applications shall be delivered or mailed or emailed to:

LOUISIANA ARCHITECTURAL SELECTION BOARD

c/o FACILITY PLANNING AND CONTROL

E-Mail:

selection.board@la.gov

Mail:

Post Office Box 94095

Baton Rouge, LA 70804-9095

Deliver:

1201 North Third Street

Claiborne Office Building

Seventh Floor, Suite 7-160

Baton Rouge, LA 70802

Use this e-mail address for applications only. Do not send any other communications to this address.

The meeting date for the Louisiana Architectural Selection Board is **Wednesday, July 16, 2025 at 10:00 AM** in room **1-100 Louisiana Purchase Room** of the Claiborne Building, 1201 North Third Street, Baton Rouge, LA 70802.

If you have a disability and would like to request an accommodation in order to participate in this meeting, please contact Christina Cardona at Christina.Cardona@la.gov or (225) 342-6060 as soon as possible but no later than 48 hours before the scheduled meeting.